



Sunlight is captured by the dome and directed down into the tube.



Sunlight is directed downward through the roof space.

Delivery Zone -

Sunlight is distributed throughout the room.

- Impact resistant acrylic dome lens
- Leakproof seamless roof flashing
- World's most reflective tubing
- Redirects low angle sunlight
- ▶ Hail resistant UV protection dome
- ▶ 10 year product

290DS

warranty	
	Tube diameter
Solatube 160DS	250mm



Glass Decorative Fixtures

Solatube Glass Decorative Fixtures allow for a designer touch and the choice is yours.











350mm



JustFrost

AuroraGlo

Opti**View**

Quadra Frost

Tier**Drop**


VividShade


Heavenly Intelligent

Natural lighting for a moderate price

- ► Laser light bending technology using unique built-in lens
- ▶ Effortless installation
- Clear dome with UV protection
- ▶ Excellent 96% reflectivity on the tube
- Leak-proof profiles to suit all roof applications
- ▶ Increase flow of natural light
- ▶ 8 year warranty
- ▶ Accessories available

Heavenly Intelligent and Econotube come in two sizes		
Tube diameter	250mm	400mm
Room size	3m x 3m	5m x 5m





Econotube

Natural lighting on a budget

On the occasion where the need for natural light is coupled with a modest budget, Econotube combines the premium Solatube roof top components with economical below the roof components.

- Clear dome
- Curved ceiling diffuser to spread the light evenly
- Leak-proof profiles to suit all roof applications
- ▶ 7 year warranty

Passive ventilation available









Raybender® 3000 Technology

A patented daylight-capturing dome lens that:

- Redirects low-angle sunlight for maximum light capture
- ▶ Rejects overpowering summer midday sunlight
- ▶ Provides consistent daylighting throughout the day

LightTracker™ Reflector

An innovative in-dome reflector that:

- ▶ Redirects low-angle winter sunlightfor maximum
- Increases light input for greater light output
- ▶ Delivers unsurpassed year-round performance

Spectralight® Infinity Tubing

Tubing made of the world's most reflective material that:

- ▶ Delivers 99.7%* specular reflectivity for maximum sunlight transfer
- ▶ Provides the purest colour rendition possible so colours are truer and brighter
- Allows for run lengths over 9 metres to deliver sunlight to lower floors

SunSense Technology

A patented control centre that:

- Continually assesses light levels and determines when supplemental light is needed
- ▶ Automatically triggers LEDs to provide optimal
- Seamlessly transitions from waning daylight to radiant LED light

Occupancy Sensor

- An optional device that:

 Automatically turns LED lights on and off based on room occupancy


 Minimises energy use throughout the day & night
- ► Maximises the energy efficiency of the Smart LED System

Smart LED

Solatube Smart LED is the most energy efficient lighting, delivering natural light during the day, transitioning automatically to LED lighting at night.

This revolutionary system combines advanced LED technology with state-ofthe-art daylighting for unparalleled energy efficiency.

- Operates automatically
- Lasts longer than traditional electric lights
- Virtually maintenance free.



*Specular reflectance greater than 99% with wavelength-specific reflectances up to 99.7% for the visible spectrum



A classic roof mount model for a wide range of roof space ventilation needs. For example: low sloped roofs with a smaller area.





This robust roof mount system is designed to accommodate even the most expansive roof spaces. For example: steep sloped roofs with smaller area, steep sloped roofs with larger area or low sloped roofs with larger area.



Recommended air intake venting (eaves or soffits) size requirements:

▶ Roof space area (square metre)/0.29 = Square centimetres of inlet vent area

SolarStar

Solar powered roof ventilation


Heat and moisture is the worst enemy of roof space's. SolarStar by Solatube is the answer.

- ▶ Two models available
- Uses no electricity
- Reduces heat build-up and moisture
- Decreases cooling costs
- Fights mould and fungal decay
- Reduces damaging condensation



Enviromax

- Operates without the need for wind
- System automatically turns on when needed
- ▶ Rating 820m³/hr
- ► Warranty: 2 year motor, 10 year product and installation
- 1 double cap thermostat motor vent equals 7 wind vents
- ▶ Thermostat controlled



Accessories and Add-on Kits.

Every residence is different and we at Solatube understand this, so our engineers have designed a range of accessories to enhance the operation of the Solatuube Daylighting System.

Solatube 160DS & 290DS



▲ Ventilation Add-on Kit Unique to Solatube this innovative two-in-one ceiling fixture extracts stale air. Minimises ceiling penetration for a more attractive look.



▲ Light Add-on Kit Minimise the light fittings in your ceiling and locate them inside your skylight.

Heavenly Intelligent & Econotube



Ventilation Add-on Kit A ventilation system that extracts stale moist air out of your home.



▲ Light Add-on Kit Minimise the light fittings in your ceiling and locate them inside your skylight.



▲ Daylight Dimmer The Daylight Dimmer with its propriety variable butterfly baffle allows for the adjustment of the daylight level in a room with the touch of a switch.



▲ E-Choice Disc More glazing for improved efficency.



▲ Slimline Diffuser More suited for task lighting a particular area.



▲ Double-glazed Diffuser Minimise any heat coming into your home during summer and stops the heat escaping during winter.

Your Solatube Dealer:



13 16 19 | www.solatube.com.au